


YARRA



2024-25
Collection

NOVELA
SERIES



The geogres wood collection reproduces the imperfection and heterogeneous details of reclaimed wooden planks, which fit in perfectly with the strict minimalism of design and lend warmth and authenticity to any ambience.





EQUIPE YOUR HOME WITH
THE LATEST WOOD

YARRA



CRAFTED INNOVATIVELY
FOR BEAUTIFUL LIVING

200X1200MM

Nothing is more soothing to our mind than the colours and textures taken from the world of nature. This is because what is best is reflected in nature. When creating the collection of wood-like tiles, we focused on the combination of beauty and uniqueness of wood with durability and strength of porcelain stoneware and clinker tiles.




OUR COLLECTION. YOUR CREATION.

NOVELA
SERIES

YARRA

7 Available in Color



A NEW DIMENSION
TO YOUR SPACE.

GALEFEB
FASHION



NOVELA BEIGE

YARRA

NOVELA
BEIGE



Size
200x1200mm

Surface
Matt

Random
24

A NEW DIMENSION TO YOUR SPACE.




NOVELA BLONDE

YARRA



YARRA

NOVELA
BLONDE



Size
200x1200mm

Surface
Matt

Random
24


A NEW DIMENSION TO YOUR SPACE.



NOVELA BROWN

YARRA

NOVELA
BROWN



Size
200x1200mm

Surface
Matt

Random
24


A NEW DIMENSION
TO YOUR SPACE.



NOVELA NATURAL

YARRA

NOVELA NATURAL



Size
200x1200mm

Surface
Matt

Random
24


A NEW DIMENSION
TO YOUR SPACE.



NOVELA NUT

YARRA

NOVELA NUT



Size
200x1200mm

Surface
Matt

Random
24


A NEW DIMENSION TO YOUR SPACE.



NOVELA OCARE

YARRA

NOVELA
OCARE



Size
200x1200mm

Surface
Matt

Random
24


A NEW DIMENSION
TO YOUR SPACE.



NOVELA ROBLE

YARRA

NOVELA
ROBLE




Size
200x1200mm

Surface
Matt

Random
24

LAYING SOLUTIONS




The material should be carefully checked before fixing, especially tonality, caliber and choice. Claims cannot be accepted once the material is installed. The company declines all responsibility for laying without joints; minimum joint laying has a gap of 2 mm.

PORCELAIN STONWARE - STANDARD EN 14411 (ISO 13006) ANNEX G GROUP BIA, E 0.5%

TECHNICAL SPECIFICATIONS		STANDARDS	VALUES REQUIRED	OUR VALUES	
			RECTIFIED	MATT	
DIMENSIONS		Length and width	$\pm 0,3\%$, max 1 mm	In According	
		Thickness	$\pm 5\%$, max 0,5 mm	In According	
		Wedging	$\pm 0,3\%$, max 1,5 mm	In According	
		Straightness of the edges	$\pm 0,3\%$, max 0,8 mm	In According	
		Flatness	$\pm 0,4\%$, max 1,8 mm	In According	
STRUCTURE		Water absorption - average value %	$\leq 0,5\%$	In According	
		Breaking strength	$S \geq 1300$ N	$S \geq 2000$ N	
		Modulus of rupture	$R \geq 35$ N/mm ²	In According	
		Resistance to surface abrasion	According to classification indicator by manufacture	PEI IV	
THERMAL SHOCK		Coefficient of thermal linear expansion	9×10^{-6} max	In According	
		Thermal shock resistance	Resistant	Resistant	
		Resistance to frost	Resistant	Resistant	
SAFETY		Dynamic friction coefficient	DIN 51130	According to the space or the working area	R9
CHEMICAL RESISTANCE		Resistance to high concentrations of acids and alkalis	ISO 10545-13	Class GHC Min.	Class GHA
		Resistance to low concentrations of acids and alkalis		Class GLC Min.	Class GLA
		Stain resistance	ISO 10545-14	Min. class 3	5




INSTALLATION ADVICE



The longest side should be staggered no more than 300mm when laid in running bond.

V SHADES



The V-Shade classification indicates the level of shading of the product, ranked from V0 to V4.

PACKAGING

SIZE	THICKNESS	PCS./BOX	SQM/BOX	SQF/BOX
200x1200 mm	9 MM	5	1.20	12.91

FEATURES



YARRA

A Marble Mart Company.
Asola Farm Rd, Asola Homes, Asola,
New Delhi, Delhi 110074
Contact : 9911097882

www.yarratiles.com
yarratiles@gmail.com